# **TouchLink Pro**

PRO SERIES TOUCHPANELS



# Powerful and Intuitive Control Interfaces for AV Systems

- ➤ TouchLink® Pro touchpanels in sizes from 3.5" to 17"
- Transform TouchLink Pro touchpanels into powerful, all-in-one control systems with LinkLicense and the TLCA 1
- TLI Pro 201 4K TouchLink Interface Use a third party 4K touchscreen display within your control system
- GUI Designer Software Efficiently create TouchLink Pro user interfaces



# **TOUCHLINK PRO**

In many ways, the choice of a control interface dictates a user's overall satisfaction with the AV system. That's why we design our TouchLink® Pro user interfaces to exceed expectations for ease-of-use, then place equally-strict goals on features, security, and smooth, worry-free integration. Our TouchLink Pro family works with any IP Link Pro control processor and is designed for use in AV system applications that requires easy, complete, interactive control of a broad range of source devices.

# **TouchLink Pro Touchpanels**

This series includes full-featured, customizable touchpanels that range in sizes from 3.5" up to 17", available in a variety of mounting options including tabletop, wall mount, and flip-up Cable Cubby enclosures. Several models feature vibrant, capacitive touchscreens with edge-to-edge glass, and multisource, high-resolution video preview.

#### LinkLicense for TouchLink Control and the TLCA 1

Extron LinkLicense for TouchLink Control and the TLCA 1 TouchLink Control Adapter are powerful Pro Series control options that will transform your wall mount, tabletop, and Cable Cubby TouchLink Pro touchpanels into powerful, all-in-one control systems. They will add flexibility and power to our latest TouchLink Pro touchpanels, including the TLP Pro 525 Series, TLP Pro 725 Series, TLP Pro 1025 Series and TLP Pro 300M.

#### 4K TouchLink Interface - TLI Pro 201

The Extron TLI Pro 201 is a TouchLink® Interface that allows a third-party 4K touchscreen display to be used as a point of control within an Extron Pro Series control system. This unique interface includes a scaled HDCP 2.3-compliant HDMI input for video preview, supporting resolutions up to 4K/30. The scaled output supports signal resolutions up to 4K/30 at 4:4:4.



The TLI Pro 201 has built in annotation features, allowing a presenter to draw and point on 4K video or computer sources using a third-party touchscreen display and/or mouse. It also features the convenience of PoE, which allows it to receive power and communication over a single Ethernet cable.

# **GUI Designer Software**

Extron GUI Designer is used for the design, creation, and maintenance of Extron TouchLink Pro user interfaces. Begin with ready-to-use design templates and resource kits, or start from scratch and build your own layout using our comprehensive software. The available design elements are fully customizable and matched carefully to popular AV system applications.

#### **TouchLink Pro Themes**

Extron pre-configured design themes to help streamline and accelerate the TouchLink Pro user interface development process. These are ideal for single display rooms, dual display rooms, divisible rooms, multi-image systems, and videoconference suites.

#### **Extron Control**

Extron Control is an easy-to-use AV control system app that gives users complete access to Extron control systems directly from Apple iOS or Android devices. It is available for download from the App Store and Google Play.





# **TOUCHLINK PRO TOUCHPANELS**



Extron TouchLink Pro touchpanels are designed with many enhanced features, including high-performance processors, ample memory, vibrant displays with high resolution Gorilla Glass® touchscreens, and stylish enclosures. They all feature the convenience of PoE - Power over Ethernet, which allows them to receive power and communication over a single Ethernet cable. They are ideal for any environment requiring a stylish touchpanel with a fully-customizable interface.

#### **Series Common Features**

- Fully customizable touchpanel user interface
- ▶ Compatible with all IP Link® Pro control processors
- Power over Ethernet provides power and communication over a single Ethernet cable
- Built-in speakers
- Light sensor adjusts screen brightness as the ambient room lighting changes
- Configurable red and green status lights indicate a room's availability or call status
- On-screen menus simplify touchpanel setup

# TLP Pro 1725TG

## 17" Tabletop TouchLink Pro Touchpanel

# **Unique Features**

- 17" capacitive touchscreen with 1920x1080 resolution and 16 million colors
- Ultra-fast quad-core processor for quick page loads
- Full-motion video preview and monitoring with HDMI and XTP inputs
- Compatible with all Extron IP Link Pro control processors and HC 400 Series systems
- Weighted base allows up to 40° of tilt
- PoE++ compatible
- Sits on a tabletop or installs on a VESA mount

Model	Version Description	Part Number
TLP Pro 1725TG	Black - Tabletop & VESA	60-1792-02
TLP Pro 1725TG NC	Black, Tabletop & VESA, No Camera	60-1792-12



# TLP Pro 1725MG

# 17" Wall Mount TouchLink Pro Touchpanel

#### **Unique Features**

- 17" capacitive touchscreen with 1920x1080 resolution and 16 million colors
- Ultra-fast quad-core processor for quick page loads
- Full-motion video preview and monitoring with HDMI and XTP inputs
- Compatible with all Extron IP Link Pro control processors and HC 400 Series systems
- PoE++ compatible
- Mounts on a wall, lectern, or any flat surface

Model	Version Description	Part Number
TLP Pro 1725MG	Black - Wall Mount	60-1791-02
TLP Pro 1725MG NC	Black - Wall Mount, No camera	60-1791-12



#### TLP Pro 1525TG

# 15" Tabletop TouchLink Pro Touchpanel

# **Unique Features**

- 15" capacitive touchscreen with 1366x768 resolution and 16 million colors
- Ultra-fast quad-core processor for quick page loads
- Full-motion video preview and monitoring with HDMI and XTP inputs
- Compatible with all Extron IP Link Pro control processors and HC 400 Series systems
- Weighted base allows up to 40° of tilt
- PoE+ compatible
- Sits on a tabletop or installs on a VESA mount



 Model
 Version Description

 TLP Pro 1525TG
 Black - Tabletop & VESA

 TLP Pro 1525TG NC
 Black - Tabletop & VESA, No Camera

Part Number 60-1790-02 60-1790-12

#### TLP Pro 1525MG

#### 15" Wall Mount TouchLink Pro Touchpanel

#### **Unique Features**

- 15" capacitive touchscreen with 1366x768 resolution and 16 million colors
- Ultra-fast quad-core processor for quick page loads
- Full-motion video preview and monitoring with HDMI and XTP inputs
- · Compatible with all Extron IP Link Pro control processors and HC 400 Series systems
- PoE+ compatible
- Mounts on a wall, lectern, or any flat surface

Model **Version Description** Part Number TLP Pro 1525MG Black - Wall Mount 60-1789-02 TLP Pro 1525MG NC Black - Wall Mount, No Camera 60-1789-12



#### TLP Pro 1225TG

# 12" Tabletop TouchLink Pro Touchpanel

#### **Unique Features**

- 12" capacitive touchscreen with 1280x800 resolution and 16 million colors
- Ultra-fast quad-core processor for quick page loads
- Full-motion video preview and monitoring with HDMI and XTP
- · Compatible with all Extron IP Link Pro control processors and HC 400 Series systems
- PoE+ compatible
- Motion detector wakes touchpanel
- Sits on a tabletop or installs on a VESA mount

Model	Version Description	Part Number
TLP Pro 1225TG	Black - Tabletop & VESA	60-1788-02
TLP Pro 1225TG NC	Black - Tabletop & VESA, No Camera	60-1788-12



# TLP Pro 1225MG

# 12" Wall Mount TouchLink Pro Touchpanel

# **Unique Features**

- 12" capacitive touchscreen with 1280x800 resolution and 16 million colors
- Ultra-fast quad-core processor for quick page loads
- inputs
- · Compatible with all Extron IP Link Pro control processors and HC 400 Series systems

Black - Wall Mount, No Camera

TLP Pro 1225MG NC



60-1787-12

# TLP Pro 1025T

## 10" Tabletop TouchLink Pro Touchpanel

#### **Unique Features**

- 10" capacitive touchscreen with 1280x800 resolution and 24-bit color depth
- Gorilla Glass® screen is tough, scratch and smudge-resistant
- Motion detector wakes touchpanel
- Configurable red and green status lights indicate a room's availability or call status
- High speed USB 2.0 port

Model	Version Description	Part Number
TLP Pro 1025T	Black - Tabletop	60-1565-02
TLP Pro 1025T	White - Tabletop	60-1565-03
TLP Pro 1025T NC	Black - Tabletop, No Camera	60-1565-12
TLP Pro 1025T NC	White - Tabletop, No Camera	60-1565-13



# TLP Pro 1025M

# 10" Wall Mount TouchLink Pro Touchpanel

#### **Unique Features**

- 10" capacitive touchscreen with 1280x800 resolution and 24-bit color depth
- Gorilla Glass<sup>®</sup> screen is tough, scratch and smudge-resistant
- Digital input allows for a connection with a variety of devices, such as sensors and switches
- Motion detector wakes touchpanel
- Configurable red and green status lights indicate a room's availability or call status
- High speed USB 2.0 port
- Can be mounted in a two-gang junction box, or on a wall, lectern, or any flat surface, including glass

Model	Version Description	Part Number
TLP Pro 1025M	Black - Wall Mount	60-1566-02
TLP Pro 1025M	White - Wall Mount	60-1566-03
TLP Pro 1025M NC	Black - Wall Mount, No Camera	60-1566-12
TLP Pro 1025M NC	White - Wall Mount, No Camera	60-1566-13



# TLP Pro 725T

# 7" Tabletop TouchLink Pro Touchpanel

#### **Unique Features**

- 7" capacitive touchscreen with 1024x600 resolution and 24-bit color depth
- Gorilla Glass® screen is tough, scratch and smudge-resistant
- Configurable red and green status lights indicate a room's availability or call status
- Motion detector wakes touchpanel
- High speed USB 2.0 port

Model	Version Description	Part Numbe
TLP Pro 725T	Black - Tabletop	60-1562-02
TLP Pro 725T	White - Tabletop	60-1562-03
TLP Pro 725T NC	Black - Tabletop, No Camera	60-1562-12
TLP Pro 725T NC	White - Tabletop, No Camera	60-1562-13



# TLP Pro 725M

#### 7" Wall Mount TouchLink Pro Touchpanel

# **Unique Features**

- 7" capacitive touchscreen with 1024x600 resolution and 24-bit color depth
- Gorilla Glass® screen is tough, scratch and smudge-resistant
- Digital input allows for a connection with a variety of devices, such as sensors and switches
- Motion detector wakes touchpanel
- Configurable red and green status lights indicate a room's availability or call status
- High speed USB 2.0 port
- Can be mounted in a two-gang junction box, or on a wall, lectern, or any flat surface, including glass

Model	Version Description	Part Number
TLP Pro 725M	Black - Wall Mount	60-1563-02
TLP Pro 725M	White - Wall Mount	60-1563-03
TLP Pro 725M NC	Black - Wall Mount, No Camera	60-1563-12
TLP Pro 725M NC	White - Wall Mount, No Camera	60-1563-13



# TLP Pro 725C

# 7" Cable Cubby TouchLink Pro Touchpanel

#### **Unique Features**

- 7" capacitive flip-up touchscreen with 1024x600 resolution and 24-bit color depth
- Gorilla Glass® screen is tough, scratch and smudge-resistant
- Cable Access Enclosure design offers easy access to AV, data, and power connections
- Integrated lid switch automatically wakes the touchpanel when opened and can trigger any other system function

Model	Version Description	Part Number
TLP Pro 725C	Black - w/o AC Module	60-1564-02
TLP Pro 725C NC	Black - w/o AC Module, No Camera	60-1564-12



# TLP Pro 525T

# 5" Tabletop TouchLink Pro Touchpanel

#### **Unique Features**

- 5" capacitive touchscreen with 800x480 resolution and 24-bit color depth
- Gorilla Glass® screen is tough, scratch and smudge-resistant
- Kensington lock support
- Motion detector wakes touchpanel
- Configurable red and green status lights indicate a room's availability or call status
- High speed USB 2.0 port

Version Description	Part Number
Black - Tabletop	60-1559-02
White - Tabletop	60-1559-03
Black - Tabletop, No Camera	60-1559-12
White - Tabletop, No Camera	60-1559-13
	Black - Tabletop White - Tabletop Black - Tabletop, No Camera



#### TLP Pro 525M

#### 5" Wall Mount TouchLink Pro Touchpanel

#### **Unique Features**

- 5" capacitive touchscreen with 800x480 resolution and 24-bit color depth
- Gorilla Glass® screen is tough, scratch and smudge-resistant
- Digital input allows for a connection with a variety of devices, such as sensors and switches
- Motion detector wakes touchpanel
- Configurable red and green status lights indicate a room's availability or call status
- High speed USB 2.0 port
- Can be mounted in a one-gang junction box, or on a wall, lectern, or any flat surface, including glass

Model	Version Description	Part Number
TLP Pro 525M	Black - Wall Mount	60-1561-02
TLP Pro 525M	White - Wall Mount	60-1561-03
TLP Pro 525M NC	Black - Wall Mount, No Camera	60-1561-12
TLP Pro 525M NC	White - Wall Mount, No Camera	60-1561-13



# TLP Pro 525C

# 5" Cable Cubby TouchLink Pro Touchpanel

#### **Unique Features**

- 5" capacitive flip-up touchscreen with 800x480 resolution and 24-bit color depth
- Gorilla Glass® screen is tough, scratch and smudge-resistant
- Cable Access Enclosure design offers easy access to AV, data, and power connections
- Integrated lid switch automatically wakes the touchpanel when opened and can trigger any other system function

Model	Version Description	Part Number
TLP Pro 525C	Black - w/o AC Module	60-1560-02
TLP Pro 525C NC	Black - w/o AC Module, No Camera	60-1560-12



# TLP Pro 300M

# 3.5" Portrait Wall Mount TouchLink Pro Touchpanel

# **Unique Features**

- 3.5" capacitive touchscreen with a 320x480 resolution
- Contemporary portrait design that complements the aesthetics of any environment
- Gorilla Glass® screen is tough, scratch, and smudge-resistant
- Motion detector wakes touchpanel
- · Configurable red and green status light
- USB 2.0 port

Model	Version Description	Part Number
TLP Pro 300M	Black - Wall Mount, Portrait	60-1667-02
TLP Pro 300M	White - Wall Mount, Portrait	60-1667-03





#### TLI Pro 201

#### 4K TouchLink Interface with Built-in Annotation

The Extron TLI Pro 201 is a TouchLink® Interface that allows a third-party 4K touchscreen display to be used as a point of control within an Extron Pro Series control system. This unique interface includes a scaled HDCP 2.2-compliant HDMI input for video preview, supporting resolutions up to 4K/30. The scaled output supports signal resolutions up to 4K/30 at 4:4:4. The TLI Pro 201 has built in annotation features, allowing a presenter to draw and point on 4K video or computer sources using a third-party touchscreen display and/or mouse.


#### **Features**

- Utilize a third-party 4K touchscreen display as a point of control within an Extron Pro Series control system
- Compatible with third-party touchscreen displays up to 4K/30 at 4:4:4
- Compatible with all IP Link Pro control processors and HC 400 Series Meeting Space Collaboration Systems



- HDCP 2.2-compliant HDMI Input for full-motion video preview and monitoring
- One high speed USB 2.0 port for third-party touchscreens or HID support
- PoE+ compatible
- Built in annotation features
- Intuitive graphical annotation interface
- Can be used in conjunction with Extron Annotator 300 for advanced annotation capabilities

Model TLI Pro 201 Version Description 4K TouchLink Interface **Part Number** 60-1669-01









# Transform your TouchLink Pro Touchpanel into a Powerful All-in-One Control System

Extron LinkLicense for TouchLink Control and the TLCA 1 TouchLink Control Adapter are two powerful Pro Series control options that will transform your wall mount, tabletop, and Cable Cubby TouchLink Pro touchpanels into powerful, all-in-one control systems. These innovative tools add flexibility and power to our latest TouchLink Pro touchpanels, including the TLP Pro 525 Series, TLP Pro 725 Series, TLP Pro 1025 Series and TLP Pro 300M.

Integrated touchpanel control systems provide many advantages including simpler system designs and streamlined system deployment. In addition, when you introduce a touchpanel control system into a room where an Extron touchpanel and a control processor already exists, you will be able remove the control processor from the system and use it elsewhere.

## LinkLicense for TouchLink Control

Extron LinkLicense for TouchLink Control is a powerful, easy way to turn



your TouchLink Pro touchpanel into a full-featured, standalone control system. With this LinkLicense, you can control your AV devices via Ethernet directly from the Ethernet port on the touchpanel. And, by adding the optional TLCA 1 TouchLink Control Adapter, you can control a broad range of system devices directly from the touchpanel using the variety of ports on the control adapter.

#### TLCA<sub>1</sub>

The Extron TLCA 1 is a TouchLink Control Adapter designed to add traditional control ports to your touchpanel installed with LinkLicense for TouchLink Control. It features two bidirectional serial ports, one digital input, one



IR port, and two relays for control of sources, directly at the touchpanel.

# User Interface Design Software for TouchLink® Pro


Extron GUI Designer is a software application used to design, create, and maintain Extron TouchLink® Pro user interfaces. Begin with ready-to-use design templates and resource kits, or start from scratch and build your own layout using our comprehensive software. The available design elements are fully customizable and matched carefully to popular AV system applications. In many cases, all the input sources, display control, and environmental settings are already in place. These resources are fully developed and include complete, detailed documentation.

#### Ready-to-use Templates and Resource Kits


GUI Designer includes ready-to-use templates for single display rooms, dual display rooms, divisible rooms, multi-image systems, and videoconference suites that can be used for TouchLink Pro products. Since system designs vary, our templates can be customized to suit the specific needs of any application. The GUI Designer design environment enables a wide variety of design choices for buttons, colors, logos, font styles, and more.

## Start From Scratch and Design Your Own Layout


A wide array of design options enables users to develop their own touchscreen layouts to meet almost any system requirement. The GUI Designer resource library of shapes, graphics, and fonts provide a wide variety of choices for design of pages and pop ups to provide transport controls, multi-state buttons, 3D effects, video windows, dynamic text, and more. In addition, users can import their own images and font files into GUI Designer and use the resource management tool to provide further customization capabilities. The Designer Window displays the layout design in progress, so the changes can be seen while the customization occurs.




# TLP Pro 525M with LinkLicense for TouchLink Control and TLCA 1 in Conference Room



# TLP Pro 1525TG Highlighting the Annotation Feature in a Classroom



# NOTES









# **Extron Control Systems Certification Programs**

Establish Your Knowledge of Extron Control Systems

Extron offers three control systems certification programs designed to prepare individuals to successfully deploy and maintain customized AV control systems built around our Pro Series control systems.

# **Certification Comparison**



#### **Extron Control Specialist - ECS**

Extend Your Ability to Customize and Manage Extron Pro Series Systems

#### **Course Content**

ECS is a two-day course that consists of the following general categories:

- Learn Global Configurator Plus, and use its powerful capabilities to configure and manage Extron Pro Series control systems
- Control system design concepts
- Configure a wide range of room control functions using Global Configurator Plus
- Create custom control interfaces using GUI Designer software, plus GUI design best practices
- Validate Pro Series control systems in multiple AV environments using acquired knowledge of installation, configuration, and commissioning principles



#### **Extron Control Professional - ECP**

Unleash the Power of Global Configurator Professional for Advanced Extron Pro Series Control Systems

#### **Course Content**

ECP is a three-day course that consists of:

- Learn Global Configurator Professional software and the advanced features used in complex system designs
- Sophisticated control system design concepts and advanced configuration techniques
- Create custom control interfaces using GUI Designer software, plus GUI design best practices
- Validate complex Pro Series control systems in multiple AV environments using acquired knowledge of installation, configuration, and commissioning principles



#### **Extron Authorized Programmer - EAP**

Learn Global Scripter and ControlScript to Design Powerful, Programmable Control Systems

#### **Course Content**

EAP is a four-day course that consists of:

- Use Global Scripter software and ControlScript, the Extron Python library for AV professionals, to program Extron Pro Series Control Systems
- Apply best practices and troubleshooting techniques to ensure optimum system performance
- Utilize methodologies for implementing and developing reusable modules for control system programs

# **LEARN MORE** -

To find out more about the Extron Control Systems Certification programs, contact your Extron S3 Customer Support Representative.

## WORLDWIDE SALES OFFICES

Anaheim • Raleigh • Silicon Valley • Dallas • New York • Washington, DC • Toronto • Mexico City • Paris • London Frankfurt • Madrid • Stockholm • Amersfoort • Moscow • Dubai • Johannesburg • Tel Aviv • Sydney • Melbourne Bangalore • Mumbai • New Delhi • Singapore • Seoul • Shanghai • Beijing • Hong Kong • Tokyo